



Pool by Almar Jackson Pools Inc

DEPTH & SAFETY MARKERS

AVAILABLE IN ENGLISH AND METRIC MEASUREMENTS

AQUABELLA

Toll Free: (833) 985-2955

info@aquabellatile.com



STANDARD 4 INCH FONT MARKER ONLY

Waterline (Smooth) = DMF
Deck (Skid Resistant) = DMAF

0 4DMF0 4DMAF0	1/2 4DMF05 4DMAF05	1 4DMF1 4DMAF1	1 1/2 4DMF15 4DMAF15	2 4DMF2 4DMAF2	2 1/2 4DMF25 4DMAF25	3 4DMF3 4DMAF3	3 1/2 4DMF35 4DMAF35	4 4DMF4 4DMAF4	4 1/2 4DMF45 4DMAF45	5 4DMF5 4DMAF5	5 1/2 4DMF55 4DMAF55	6 4DMF6 4DMAF6
6 1/2 4DMF65 4DMAF65	7 4DMF7 4DMAF7	7 1/2 4DMF75 4DMAF75	8 4DMF8 4DMAF8	8 1/2 4DMF85 4DMAF85	9 4DMF9 4DMAF9	9 1/2 4DMF95 4DMAF95	10 4DMF10 4DMAF10	11 4DMF11 4DMAF11	12 4DMF12 4DMAF12	13 4DMF13 4DMAF13	14 4DMF14 4DMAF14	18 4DMF18 4DMAF18

MARKER WITH "FT"

0^{FT} 4DMF0FT 4DMAF0FT	1/2^{FT} 4DMF05FT 4DMAF05FT	1^{FT} 4DMF1FT 4DMAF1FT	1 1/2^{FT} 4DMF15FT 4DMAF15FT	2^{FT} 4DMF2FT 4DMAF2FT	2 1/2^{FT} 4DMF25FT 4DMAF25FT	3^{FT} 4DMF3FT 4DMAF3FT	3 1/2^{FT} 4DMF35FT 4DMAF35FT	4^{FT} 4DMF4FT 4DMAF4FT	4 1/2^{FT} 4DMF45FT 4DMAF45FT	5^{FT} 4DMF5FT 4DMAF5FT	5 1/2^{FT} 4DMF55FT 4DMAF55FT	6^{FT} 4DMF6FT 4DMAF6FT
6 1/2^{FT} 4DMF65FT 4DMAF65FT	7^{FT} 4DMF7FT 4DMAF7FT	7 1/2^{FT} 4DMF75FT 4DMAF75FT	8^{FT} 4DMF8FT 4DMAF8FT	8 1/2^{FT} 4DMF85FT 4DMAF85FT	9^{FT} 4DMF9FT 4DMAF9FT	9 1/2^{FT} 4DMF95FT 4DMAF95FT	10^{FT} 4DMF10FT 4DMAF10FT	11^{FT} 4DMF11FT 4DMAF11FT	12^{FT} 4DMF12FT 4DMAF12FT	13^{FT} 4DMF13FT 4DMAF13FT	14^{FT} 4DMF14FT 4DMAF14FT	16^{FT} 4DMF16FT 4DMAF16FT

MARKER WITH "IN"

0^{IN} 4DMF0IN 4DMAF0IN	1^{IN} 4DMF1IN 4DMAF1IN	2^{IN} 4DMF2IN 4DMAF2IN	3^{IN} 4DMF3IN 4DMAF3IN	4^{IN} 4DMF4IN 4DMAF4IN	5^{IN} 4DMF5IN 4DMAF5IN	6^{IN} 4DMF6IN 4DMAF6IN	7^{IN} 4DMF7IN 4DMAF7IN	8^{IN} 4DMF8IN 4DMAF8IN	9^{IN} 4DMF9IN 4DMAF9IN	10^{IN} 4DMF10IN 4DMAF10IN	11^{IN} 4DMF11IN 4DMAF11IN	12^{IN} 4DMF12IN 4DMAF12IN
--	--	--	--	--	--	--	--	--	--	---	---	---

METRIC 4 INCH FONT MARKER ONLY

Waterline (Smooth) = DMM
Deck (Skid Resistant) = DMMA

.30 4DMM.30 4DMMA.30	.60 4DMM.60 4DMMA.60	.90 4DMM.90 4DMMA.90	.91 4DMM.91 4DMMA.91	0.1 4DMM0.1 4DMMA0.1	0.2 4DMM0.2 4DMMA0.2	0.3 4DMM0.3 4DMMA0.3	0.4 4DMM0.4 4DMMA0.4	0.5 4DMM0.5 4DMMA0.5	0.6 4DMM0.6 4DMMA0.6	0.7 4DMM0.7 4DMMA0.7	0.8 4DMM0.8 4DMMA0.8	0.9 4DMM0.9 4DMMA0.9
1.0 4DMM1.0 4DMMA1.0	1.1 4DMM1.1 4DMMA1.1	1.2 4DMM1.2 4DMMA1.2	1.3 4DMM1.3 4DMMA1.3	1.4 4DMM1.4 4DMMA1.4	1.5 4DMM1.5 4DMMA1.5	1.6 4DMM1.6 4DMMA1.6	1.7 4DMM1.7 4DMMA1.7	1.8 4DMM1.8 4DMMA1.8	1.9 4DMM1.9 4DMMA1.9	2.0 4DMM2.0 4DMMA2.0	3.0 4DMM3.0 4DMMA3.0	3.7 4DMM3.7 4DMMA3.7

MARKER WITH "M"

.3^M 4DMM.3M 4DMMA.3M	.5^M 4DMM.5M 4DMMA.5M	.9^M 4DMM.9M 4DMMA.9M	0.0^M 4DMM0.0M 4DMMA0.0M	0.1^M 4DMM0.1M 4DMMA0.1M	0.2^M 4DMM0.2M 4DMMA0.2M	0.3^M 4DMM0.3M 4DMMA0.3M	0.4^M 4DMM0.4M 4DMMA0.4M	0.5^M 4DMM0.5M 4DMMA0.5M	0.6^M 4DMM0.6M 4DMMA0.6M	0.7^M 4DMM0.7M 4DMMA0.7M	0.8^M 4DMM0.8M 4DMMA0.8M	0.9^M 4DMM0.9M 4DMMA0.9M
1.0^M 4DMM1.0M 4DMMA1.0M	1.1^M 4DMM1.1M 4DMMA1.1M	1.2^M 4DMM1.2M 4DMMA1.2M	1.3^M 4DMM1.3M 4DMMA1.3M	1.4^M 4DMM1.4M 4DMMA1.4M	1.5^M 4DMM1.5M 4DMMA1.5M	1.6^M 4DMM1.6M 4DMMA1.6M	1.7^M 4DMM1.7M 4DMMA1.7M	1.8^M 4DMM1.8M 4DMMA1.8M	1.9^M 4DMM1.9M 4DMMA1.9M	2.0^M 4DMM2.0M 4DMMA2.0M	3.0^M 4DMM3.0M 4DMMA3.0M	3.7^M 4DMM3.7M 4DMMA3.7M

1FT = 0.3M	1 1/2FT = 0.5M	7FT = 2.1M	7 1/2FT = 2.3M
2FT = 0.6M	2FT = 0.8M	8FT = 2.4M	8 1/2FT = 2.6M
3FT = 0.9M	3 1/2FT = 1.1M	9FT = 2.7M	9 1/2FT = 2.9M
4FT = 1.2M	4 1/2FT = 1.4M	10FT = 3.0M	10 1/2FT = 3.2M
5FT = 1.5M	5 1/2FT = 1.7M	11FT = 3.4M	11 1/2FT = 3.5M
6FT = 1.8M	6 1/2FT = 2.0M	12FT = 3.7M	12 1/2FT = 3.8M





STANDARD 5 INCH FONT MARKER ONLY

Waterline (Smooth) = DMF
Deck (Skid Resistant) = DMAF

0 5DMF0 5DMAF0	1/2 5DMF05 5DMAF05	1 5DMF1 5DMAF1	1 1/2 5DMF15 5DMAF15	2 5DMF2 5DMAF2	2 1/2 5DMF25 5DMAF25	3 5DMF3 5DMAF3	3 1/2 5DMF35 5DMAF35	4 5DMF4 5DMAF4	4 1/2 5DMF45 5DMAF45	5 5DMF5 5DMAF5	5 1/2 5DMF55 5DMAF55	6 5DMF6 5DMAF6
6 1/2 5DMF65 5DMAF65	7 5DMF7 5DMAF7	7 1/2 5DMF75 5DMAF75	8 5DMF8 5DMAF8	8 1/2 5DMF85 5DMAF85	9 5DMF9 5DMAF9	9 1/2 5DMF95 5DMAF95	10 5DMF10 5DMAF10	11 5DMF11 5DMAF11	12 5DMF12 5DMAF12	13 5DMF13 5DMAF13	14 5DMF14 5DMAF14	18 5DMF18 5DMAF18

MARKER WITH "FT"

0^{FT} 5DMF0FT 5DMAF0FT	1/2^{FT} 5DMF05FT 5DMAF05FT	1^{FT} 5DMF1FT 5DMAF1FT	1 1/2^{FT} 5DMF15FT 5DMAF15FT	2^{FT} 5DMF2FT 5DMAF2FT	2 1/2^{FT} 5DMF25FT 5DMAF25FT	3^{FT} 5DMF3FT 5DMAF3FT	3 1/2^{FT} 5DMF35FT 5DMAF35FT	4^{FT} 5DMF4FT 5DMAF4FT	4 1/2^{FT} 5DMF45FT 5DMAF45FT	5^{FT} 5DMF5FT 5DMAF5FT	5 1/2^{FT} 5DMF55FT 5DMAF55FT	6^{FT} 5DMF6FT 5DMAF6FT
6 1/2^{FT} 5DMF65FT 5DMAF65FT	7^{FT} 5DMF7FT 5DMAF7FT	7 1/2^{FT} 5DMF75FT 5DMAF75FT	8^{FT} 5DMF8FT 5DMAF8FT	8 1/2^{FT} 5DMF85FT 5DMAF85FT	9^{FT} 5DMF9FT 5DMAF9FT	9 1/2^{FT} 5DMF95FT 5DMAF95FT	10^{FT} 5DMF10FT 5DMAF10FT	11^{FT} 5DMF11FT 5DMAF11FT	12^{FT} 5DMF12FT 5DMAF12FT	13^{FT} 5DMF13FT 5DMAF13FT	14^{FT} 5DMF14FT 5DMAF14FT	16^{FT} 5DMF16FT 5DMAF16FT

MARKER WITH "IN"

0^{IN} 5DMF0IN 5DMAF0IN	1^{IN} 5DMF1IN 5DMAF1IN	2^{IN} 5DMF2IN 5DMAF2IN	3^{IN} 5DMF3IN 5DMAF3IN	4^{IN} 5DMF4IN 5DMAF4IN	5^{IN} 5DMF5IN 5DMAF5IN	6^{IN} 5DMF6IN 5DMAF6IN	7^{IN} 5DMF7IN 5DMAF7IN	8^{IN} 5DMF8IN 5DMAF8IN	9^{IN} 5DMF9IN 5DMAF9IN	10^{IN} 5DMF10IN 5DMAF10IN	11^{IN} 5DMF11IN 5DMAF11IN	12^{IN} 5DMF12IN 5DMAF12IN
--	--	--	--	--	--	--	--	--	--	---	---	---

METRIC 5 INCH FONT MARKER ONLY

Waterline (Smooth) = DMM
Deck (Skid Resistant) = DMMA

.30 5DMM.30 5DMMA.30	.60 5DMM.60 5DMMA.60	.90 5DMM.90 5DMMA.90	.91 5DMM.91 5DMMA.91	0.1 5DMM0.1 5DMMA0.1	0.2 5DMM0.2 5DMMA0.2	0.3 5DMM0.3 5DMMA0.3	0.4 5DMM0.4 5DMMA0.4	0.5 5DMM0.5 5DMMA0.5	0.6 5DMM0.6 5DMMA0.6	0.7 5DMM0.7 5DMMA0.7	0.8 5DMM0.8 5DMMA0.8	0.9 5DMM0.9 5DMMA0.9
1.0 5DMM1.0 5DMMA1.0	1.1 5DMM1.1 5DMMA1.1	1.2 5DMM1.2 5DMMA1.2	1.3 5DMM1.3 5DMMA1.3	1.4 5DMM1.4 5DMMA1.4	1.5 5DMM1.5 5DMMA1.5	1.6 5DMM1.6 5DMMA1.6	1.7 5DMM1.7 5DMMA1.7	1.8 5DMM1.8 5DMMA1.8	1.9 5DMM1.9 5DMMA1.9	2.0 5DMM2.0 5DMMA2.0	3.0 5DMM3.0 5DMMA3.0	3.7 5DMM3.7 5DMMA3.7

MARKER WITH "M"

.3^M 5DMM.3M 5DMMA.3M	.5^M 5DMM.5M 5DMMA.5M	.9^M 5DMM.9M 5DMMA.9M	0.0^M 5DMM0.0M 5DMMA0.0M	0.1^M 5DMM0.1M 5DMMA0.1M	0.2^M 5DMM0.2M 5DMMA0.2M	0.3^M 5DMM0.3M 5DMMA0.3M	0.4^M 5DMM0.4M 5DMMA0.4M	0.5^M 5DMM0.5M 5DMMA0.5M	0.6^M 5DMM0.6M 5DMMA0.6M	0.7^M 5DMM0.7M 5DMMA0.7M	0.8^M 5DMM0.8M 5DMMA0.8M	0.9^M 5DMM0.9M 5DMMA0.9M
1.0^M 5DMM1.0M 5DMMA1.0M	1.1^M 5DMM1.1M 5DMMA1.1M	1.2^M 5DMM1.2M 5DMMA1.2M	1.3^M 5DMM1.3M 5DMMA1.3M	1.4^M 5DMM1.4M 5DMMA1.4M	1.5^M 5DMM1.5M 5DMMA1.5M	1.6^M 5DMM1.6M 5DMMA1.6M	1.7^M 5DMM1.7M 5DMMA1.7M	1.8^M 5DMM1.8M 5DMMA1.8M	1.9^M 5DMM1.9M 5DMMA1.9M	2.0^M 5DMM2.0M 5DMMA2.0M	3.0^M 5DMM3.0M 5DMMA3.0M	3.7^M 5DMM3.7M 5DMMA3.7M

1FT = 0.3M	1 1/2FT = 0.5M	7FT = 2.1M	7 1/2FT = 2.3M
2FT = 0.6M	2FT = 0.8M	8FT = 2.4M	8 1/2FT = 2.6M
3FT = 0.9M	3 1/2FT = 1.1M	9FT = 2.7M	9 1/2FT = 2.9M
4FT = 1.2M	4 1/2FT = 1.4M	10FT = 3.0M	10 1/2FT = 3.2M
5FT = 1.5M	5 1/2FT = 1.7M	11FT = 3.4M	11 1/2FT = 3.5M
6FT = 1.8M	6 1/2FT = 2.0M	12FT = 3.7M	12 1/2FT = 3.8M



Specs: 6"x 6" white



Actual Size: 5¹³/₁₆" x 5¹³/₁₆"

Thickness: 0.218"



Waterline (Smooth) = DMF
Deck (Skid Resistant) = DMAF

6"x 6" MEASUREMENT, WARNING, & MESSAGE




* Other options available upon request *




A-3602 MUD BULLNOSE SERIES

All mud bullnose on white 6"x 6"

4 INCH FONT



5 INCH FONT





5 Inch Letters (Also available in 4 inch font)

A	B	C	D	E	F	G	H	I	J	K	L	M
N	O	P	Q	R	S	T	U	V	W	X	Y	Z

* 6"x 12" WARNING & MESSAGE *

AT WALL 5DMF AT WALL 6X12 5DMAF AT WALL 6X12	KEEP OFF 4DMF-KO 6X12 4DMAF-KO 6X12	NO DIVING 4DMFND6X12 4DMAFND6X12	NO ENTRY 4DMFNE6X12 4DMAFNE6X12	NO RUNNING 4DMFNR6X12 4DMAFNR6X12	NO STEP 4DMFNS6X12 4DMAFNS6X12
AT CENTER 5DMF AT CENTER 6X12 5DMAF AT CENTER 6X12	KEEP OFF 5DMF-KO 6X12 5DMAF-KO 6X12	NO DIVING 5DMFND6X12 5DMAFND6X12	NO ENTRY 5DMFNE6X12 5DMAFNE6X12	NO RUNNING 5DMFNR6X12 5DMAFNR6X12	NO STEP 5DMFNS6X12 5DMAFNS6X12

* WARNING & MESSAGE SETS *

NO DIVING	NO DIVING	N O D I V I N G
NO DIVING	NO DIVING	N O D I V I N G
N O E N T R Y	D R O P O F F	
N O E N T R Y	D R O P O F F	



PLANK SERIES

6"X 12"

Specs: 6"x12" white Actual Size: 5.875"x11.875" Thickness: 0.375"
4 & 5 INCH FONT AVAILABLE

Waterline (Smooth) = PS12-
Deck (Skid Resistant) = PA12-

1FT	2FT	3FT	4FT	5FT	6FT
PS12-5-1FT INT PA12-5-1FT INT	PS12-5-2FT INT PA12-5-2FT INT	PS12-5-3FT INT PA12-5-3FT INT	PS12-5-4FT INT PA12-5-4FT INT	PS12-5-5FT INT PA12-5-5FT INT	PS12-5-6FT INT PA12-5-6FT INT
7FT	8FT	9FT	10FT	11FT	12FT
PS12-5-7FT INT PA12-5-7FT INT	PS12-5-8FT INT PA12-5-8FT INT	PS12-5-9FT INT PA12-5-9FT INT	PS12-5-10FT INT PA12-5-10FT INT	PS12-5-11FT INT PA12-5-11FT INT	PS12-5-12FT INT PA12-5-12FT INT

6"X 18"

Specs: 6"x18" white Actual Size: 5.875"x11.875" Thickness: 0.375"
4 & 5 INCH FONT AVAILABLE

Waterline (Smooth) = PS18-
Deck (Skid Resistant) = PA18-

1FT 2IN	2FT 4IN	3FT 6IN	4FT 8IN
PS18-5-1FT 2IN INT PA18-5-1FT 2IN INT	PS18-5-2FT 4IN INT PA18-5-2FT 4IN INT	PS18-5-3FT 6IN INT PA18-5-3FT 6IN INT	PS18-5-4FT 8IN INT PA18-5-4FT 8IN INT
5FT 10IN	6FT 12IN	BEACH ENTRY	NO JUMPING
PS18-5-5FT 10IN INT PA18-5-5FT 10IN INT	PS18-5-6FT 12IN INT PA18-5-6FT 12IN INT	PS18-5-BEACH ENTRY PA18-5-BEACH ENTRY	PS18-5-NO JUMPING PA18-5-NO JUMPING

6"X 24"

Specs: 6"x24" white Actual Size: 5.875"x11.875" Thickness: 0.375"
4 & 5 INCH FONT AVAILABLE

Waterline (Smooth) = PS24-
Deck (Skid Resistant) = PA24-

1FT 1IN NO DIVING	2FT 3IN NO DIVING	3FT 5IN NO DIVING
PS24-5-1FT 1IN NO DIVING INT PA24-5-1FT 1IN NO DIVING INT	PS24-5-2FT 3IN NO DIVING INT PA24-5-2FT 3IN NO DIVING INT	PS24-5-3FT 5IN NO DIVING INT PA24-5-3FT 5IN NO DIVING INT
4FT 7IN NO DIVING	5FT 9IN NO DIVING	6FT 11IN NO DIVING
PS24-5-4FT 7IN NO DIVING INT PA24-5-4FT 7IN NO DIVING INT	PS24-5-5FT 9IN NO DIVING INT PA24-5-5FT 9IN NO DIVING INT	PS24-5-6FT 11IN NO DIVING INT PA24-5-6FT 11IN NO DIVING INT
SHALLOW WATER	8FT DEPTH AT MAIN DRAIN	
PS24-5-CUSTOM PA24-5-CUSTOM	PS24-5-CUSTOM PA24-5-CUSTOM	

* Other options available upon request *

PLANK PRODUCT CODE DESCRIPTION

		6"X 12"	6"X 18"	6"X 24"
4 INCH FONT	SMOOTH ABRASIVE	PS12-4- PA12-4-	PS18-4- PS18-4-	PS24-4- PS24-4-
5 INCH FONT	SMOOTH ABRASIVE	PS12-5- PA12-5-	PS18-5- PA18-5-	PS24-5- PS24-5-